

A Donaldson Company

A WORLD LEADER IN FUME EXTRACTION TECHNOLOGY

## **DustPRO 100**

#### **MECHANICAL ENGINEERING**

Last Updated on 02.02.2022





#### Industrial particle and dust extractor.

This unit has been developed to help with the filtration of swarf and smaller particulates during processes such as routing, mechanical engraving, grinding and turning.

Its brushless motor is designed for continuous running for long periods of time before servicing and generates high vacuums while being quiet in operation.

#### Technology



**HEPA** filter



ProTECT service plan



SureCHECK quality standard

## Key features of the DustPRO 100

**Filters with long life and low replacement cost** Standard

**HEPA filter** Standard **Audible alarm for filter condition** Standard

## **Technical specification**

1. On / off switch

2. Power cable

**3.** Hose inlet connection - 50mm

4. Exhaust outlet

5. Motor cooling inlet

6. Unit feet

7. Door latches


8. Door hinges

#### Contact BOFA at https://bofainternational.com/en/contact/

https://bofainternational.com/en/portal/datasheets/dustpro-100/



Approvals: REACH and RoHS. See individual product technical data for specific accreditations



# Airflow through filters



Bag filter




Clean air



Contaminated air



HEPA filter



Technical data		
	EU	
Dimensions (HxWxD)	570 x 460 x 730mm / 22.44 x 18.11 x 28.74"	
Cabinet construction	Powder coated mild steel	
Airflow / pressure	180m³/hr / 110mbar / 105cfm	
Electrical data	230V Single-phase 1~ 50/60Hz	
	Full load current: 7 amps / 0.8kw	
	3m hard wired power cable	
	Illuminated 10A trip on / off switch	
Noise level	< 65dBA at typical operating speed	
Weight	58kgs (127.6 lbs)	
Approvals	UKCA and CE	

Bag filter specifications	
Filter holding capacity	20 Ltrs
Filter media	Polyester
Filter media construction	Bag filter
Filter efficiency	95% @ 0.9 microns

HEPA filter specifications		
HEPA filter media	Borosilicate	
HEPA media construction	Maxi pleat construction with glue bead spacers	
Filter efficiency	99.997% @ 0.3 microns	

Part numbers		
Model	Voltage	Part no.
DustPRO 100 powder coated	230V	D0542A

Replacement filters		
Model	Bag filter part no.	HEPA filter part no.
DustPRO 100	A1030134	A1030161

#### Datasheet correct at time of publishing.

Where applicable, the carbon used in BOFA units is capable of removing a wide range of VOCs, however it is the responsibility of the user to ensure the carbon is suitable for their application. For specific applications, please contact us for details.

Important Notice: Many factors beyond the control of BOFA can affect the use and performance of BOFA products in a particular application, including the conditions under which the product is used. Since these factors are uniquely within the user's knowledge and control, it is essential the user evaluate the products to determine whether the product is fit for the particular purpose and suitable for the user's application. All products, product specifications, availability and data are subject to change without notice, and may vary by region or country.

Think before you print! Please consider the environment before printing this document.

